

RECORD

AT SEA CAT

November & December 1966

7530-222-3525
FEDERAL SUPPLY SERVICE
(GPO)

2566

25.

or + cat. #

1008
37
1007
son 4
on 19
1010
1017
1016
r 45
609
b 0124
1012
1015
1011
46
b 125
b 123
1013
38
014
20
son 5
1009
126
(0129)
39
(0128)
40
20

Field number	species	sex	Location	date	wt	fat	Gonads	remarks		disposition of specimen	Preparer + cat. #
2510	Pt. hypo. nig.	♂	17°52'N 163°47'W	6 Nov, 1966	155	L-m	testes 2x1mm (Black)	heavy body molt, ES-16-2, L tail-6 new, 5(½) 4 new, 3 still in sheath, 2 (¼) 1 new RT 6-4 new 3 just broke sheath, 2 new, 1(⅓)	S	S	Huber 1008
11	P. pacificus	♂	17°15'N 164°42'W	"	383	m	LT 5x2mm RT 3x2mm	No B.Path, All plumage new/old, no molt ES-16-3 iris dark brown, bill gray with black hook, feet + legs light flesh with light grayish outer sides	S	S	Heiden 37
12	Pt. ex. externa	♀ imm	15°53'N 167°00'W	7 Nov, 1966	409	No	ovary 12x4mm, ova fine oviduct straight + thin	no B.Patch, All new plumage no molt, ES 16-4 iris dark brown, bill black, legs + proximal ⅓ foot pale flesh, distal ⅔ + claws black	S	S	Huber 1007
13	"	♂	15°54'N 167°17'W	"	386	L	LT 10x2mm RT 3x1mm.	heavy body molt, ES-15-9 Bill black, legs pink, feet black	S	S	Thompson 4
14	"	♀	15°45'N 167°19'W	"	389	m	ovary 10x3.5mm ova ex. fine oviduct—straight + thin	tail-worn, ES-16-6 iris brown, bill black, legs + proximal 2/3 foot pink distal ⅓ black	S	S	Tuxson 19
15	Pt. ?	♂	15°55'N 167°17'W	"	335	L	testes 2x1mm (black)	NO B.Patch, ES-15-5 iris dark brown, bill black, legs + proximal ⅓ foot bluish, distal ⅔ blackish	S	S+W SK	Huber 1010
16	Pt. ex. externa	—	15°43'N 167°21'W	"	428	—	—	—		A	Huber 1017
17	"	—	"	"	384	—	—	—		A	Huber 1016
18	"	♀	15°42'N 167°22'W	"	—	L	B. Patch feathered ovary 8x3mm ova minute	No wing quill molt, no rectrix molt bill black, gape slight pink-flesh, iris dark brown, legs pink, feet-prox ⅓ pink, dista ⅔ black.	S	S	Chandler 45
19	Pt hypo nig.	♂	15°45'N 167°19'W	"	180	m	testes 5x3mm BP refeathering	tail worn, body molt iris brown, bill black, pink legs + proximal ⅔ foot, distal ⅓ foot black	S	S	Fitch 609
20	Pt. ex. externa	♀	15°40'N 167°24'W	"	407	L	ovary 9x4mm ova granular No B. Patch	flight feathers all in, heavy general body molt. ES-16-11 Iris brown, bill black, prox ⅓ feet + legs flesh, distal ⅔ black.	S	SK	Balcomb 0124
21	Pt hypo. nig.	—	15°38N 167°28'W	"	159	—	NoB.Patch	PLR-All in SLR All in RLR all in except R1R1 pin, RL6-Lost, heavy general body molt		A	Huber 1012
22	Pt ex, externa	—	15°39'N 167°25'W	"	418	—	—	—		A	Huber 1015
23	Pt hypo nig.	—	15°38'N 167°29'W	"	—	—	—	—		A	Huber 1011
24	Phaethon lepturus	♀	15°39'N 167°26'W	"	—	NO	ovary 4x2mm — / PR1 L+R #7½ out of sheath, 9-10 old 1-6 new, No sec molt tail R1 ⅓ full Lenght, Rest worn,	Bill pearly-yellow, iris dark brown; legs pale light blue, feet, prox. ⅓ pale light blue, distal ⅔ black, nails black ES-16-13	S	S	Chandler 46
25	Pt: ex. externa	♂	15°40'N 167°24'W	"	395	L	NO B. Patch, Lt. 1x6mm (black)	No molt, ES16-8 Iris brown, bill black, feet black—distal ¾ & legs + prov. ¼ feet flesh	S	Sk	Balcomb 125
26	"	♀	15°40'N 167°24'W	"	407	L	ovary 9x4mm L. ovum 1mm.		ESB	SK	Balcomb 123
27	Pt hypo nig.	—	15°46'N 167°17'W	"	131	—	—	—	B	A	Huber 1013
28	"	♀	15°46'N 167°17'W	"	—	L	ovary 10x4 granular No B. Patch..	Bill black, legs pink (flesh), feet flesh, proximal ¼; black distal ¾ heavy body molt, ES-16-12	BS	S	Heiden 38
29	"	—	15°37'N 167°30'W	"	131	—	—	—	B.	A	Huber 1014
30	Oceanodroma leucorhoa	♀	15°38'N 167°29'W	"	—	L	L. ovary 4x2mm, No B. Patch,	worn feathers. bill + legs black, Iris brown,	S	S	Tuxson 20
31	Pt. hypo nig.	♂	15°37'N 167°30'W	"	—	L	5x3 - RT 3x2 mm LT.	Bill ~~legs~~ black, legs gray, feet black ES-16-14, Light body molt.	S.	S	Thompson 5
32	Pt ex. externa	♀ imm	15°37'N 167°30'W	"	390	L	ovary 12x4mm, ova very fine, a few ova starting to increase in size oviduct straight + thin - never been used.	ES-16-15.	S	S	Huber 1009
33	Pt hypo nig.	♀	15°12'N, 168°16'W	"	153	H	No B.Patch ovary 10x3mm, ova granular	no molt in flight feathers, heavy body molt iris brown bill black.	S	S	Balcomb 126
34	O. leucorhoa	♀	15°57'N 170°34'W	11 Nov, 1966	38.7	M.	no brood patch ovary 2x3 mm	no body molt. bill, feet & legs black; Iris dark brown	S.	Skin	Balcomb (0129)
35	Pt. ex. externa	♂	15°05'N 171°41'W	12 Nov, 1966	396	L	NO B Patch Lt 7x4mm Rt 6x3mm	No molt. Iris dark brown, bill black. legs flesh, prox ¼ flesh distal ¾ black.	S	S	Heiden 39
36	O. leucorhoa	?	15°05'N 171°41'W	"	49.1	H.	not obtainable	no body molt Iris dark brown; bill, legs, feet black extremely shot up.		Skin	Balcomb (0128)
37	"	♂	15°03'N 171°42'W	"	44	L	No B Patch Lt 2x1mm. Rt 2x1mm	light body molt Iris brown, bill feet + legs black	S	S	Heiden 40
38	Phaethon rubricauda	♀ subad	14°21'N 172°39'W	"	698	L	ovary 7x2mm. ova not distinguishable	iris dark brown; bill pale orange, slightly gray at base, with black streak over nostril, legs + proximal ⅓ foot light blue, the webs of the prox. ⅓ foot darker blue than legs, rest of foot black. ES 16-16		S	Huber 1020

2539	Pt hypo nig.	♀ imm	12°00'N	175°45'W	13 Nov, 1966	146	H	ovary 10x3mm oviduct straight + thin	—	S	S	Fitch 610
40	Pt ext. externa	♂	11°53'N	175°52'W	"	438	L	4x1mm - testes	heavy body molt bill black, leg pink, feet black, iris brown	S	S	Thompson 10
41	Sterna fuscata	imm ♂	11°57'N	175°49'W	" F+W Band 943-23575	170	M	NO B. Patch. Lt. 3x1mm RT 3x1mm	iris dark brown, bill legs, + feet black No molt.	B S	S	Heiden 41
42	Pt hypo nig.	♂	11°59'N	175°44'W	"	147	M	L. testis 4x2mm	med. body molt Iris brown · bill & distal 2/3 feet black; legs & prox 1/3 feet flesh	S. I.	Skin	Balcomb (0130)
43	"	♂	12°00'N	175°44'W	"	183	L	L. testis 5x5mm	light body molt wingspan 20in; TL 11in Iris brown; bill & distal 2/3 feet black; legs & prox 1/3 feet flesh.	S	Skin	Balcomb (0131)
44	"		11°58'N	175°46'W	"	123.	—	L 4x2mm R 3x1.5mm NO B Patch.	Moderate body molt, ES-16-18 wing 24" tail-worn legs + bill black, iris brown	S	S	Tuxson 21
45	Erolia	♂	10°22'N	178°13'W	14 Nov, 1966	49.	L	testes 1x.5mm	ES 16-19 Iris black, bill black 1/2, brown 1/2 legs greenish yellow		S	Fitch 611
46	Pt hypo nig.	♀	10°06'N	178°35'W	"	139	L	No B. Patch ovary 9x4mm granular	no molt. iris dark brown, bill black, legs pale bluish-flesh, feet pale bluish flesh prox. 1/3, black distal 2/3	S	S	Heiden 42
47	Bulweria bulwerii	—	9°49'N	178°57'W	14 Nov 1966	78	—	—	—		A	Huber 1018
48	"	—	9°49'N	178°57'W	"	70	—	—	R+Lw - P1 (1/4) P2-6 new, 7 (1/2) 8-10 old tail R1 L (1/2) rest old		A	Huber 1019
49	Sterna fuscata	♀ subad	8°06'N;	178°59'E	~~[illegible]~~ 15 Nov. 1966	176	M	4x2mm (ovary) L. ovum .5mm oviduct straight	NO B. Patch. Body molt present Bill legs + feet black, iris brown	S	S	Thompson #6
50	P. pacificus	♂	8°08'N;	179°03'E	15 Nov, 1966	321	L	NO BROOD PATCH L. TESTIS 8x5mm R. TESTIS 4x3mm	LIGHT BODY MOLT IRIS BROWN; LEGS+FEET PINK; BILL BLACK	S	S	HEIDEN (45)
51	"	♀	8°07'N;	179°02'E	"	337	L	NO BROOD PATCH OVARY 10x4mm	NO MOLT LEGS+FEET PINK; BILL BLACK; IRIS BROWN	S	S	HEIDEN (43)
52	Sula leucogaster	♂	08°05'N;	178°59'E	"	910	L	testes L 8x3mm R 5x1mm	No molt of flight feathers Light body molt iris brown, bill greengray legs yellow.	S	S	Tuxson 22
53	Sterna fuscata	♂	08°04'N;	178°55'E	"	143	L	NO BROOD PATCH L. TESTIS 5x3mm R. TESTIS 4x3mm	NO MOLT IRIS DARK BROWN, BILL, LEGS, FEET BLACK	S	S	HEIDEN (44)
54	"	♀	8°03'N;	178°54'E	"	152	L	ovary 5x2mm L. ovum 1mm.	no body molt bill legs + feet black, iris brown	S	S	Thompson #7
55	O. leucorhoa	♂	8°04'N;	178°57'E	"	29g	M	L testis: 3x1mm. R. testis: 2x1mm	no body molt Legs, feet, bill black	S	Skin	Fitch 612
56	Bulweria bulwerii	♀	8°03'N;	178°55'E	"	81g	—	OVARY 6x3mm granular oviduct straight	no body molt		S R.	Fitch 613
57	Anous stolidus	imm ♂	8°04'N;	178°55'E	"	164g.	M	Lt dark 2x1mm Rt Light 2x1mm	Brood patch absent. skull not completely ossified ES 16-21	S	S	Thompson #8
58	Sula Sula	♀	8°05'N;	178°57'E	"	901	L	ovary 8x4mm ova minute	LW-P1-9 new, 10 (1/2) RW-P1-2 new 3 dropped 4-9 new 10 (1/2) tail L1 (2/3) 2-6 old tail R1-5 old 6 new	S	SX	Huber 1021
59	Pt. sp.?	imm ♀	7°45'N;	178°28'E	"	257	Very L	ovary 7x5mm granular oviduct straight + thin	iris dark brown, bill black, legs + prox 1/3 foot flesh, rest black.		S	Huber 1023
60	Pt hyponig.	♂	7°50'N;	178°33'E	"	129	M	L 1.5x1mm R 1.5x.5mm	Bill black, legs gray, feet black, Iris brown	S	S	Thompson 9
61	Pt leucoptera	♂	7°58'N;	178°43'E	"	130	M	testes 3x1mm dark	Light body molt Bill black, legs blue, feet black.	S	S	Thompson 25
62	"	♀	7°49'N;	178°32'E	"	122	L	NO BROOD PATCH OVARY 8x4mm	HEAVY BODY MOLT IRIS DARK BROWN; BILL BLACK; LEGS PALE BLUE; FEET BLUE PROXIMAL 1/4; BLACK DISTAL 3/4	S	S	HEIDEN (48)
63	B. bulwerii	—	8°00'N;	178°46'E	"	72	—	—	R #10+9 old 8 2/3 in #7-1 all new L tail old		A	Thompson 11
64	"	—	7°47'N;	178°29'E	"	66	—	—	PL+R #10+9 old, #8 2/3 #7-1 new, TAIL old		A	Thompson 12
65	O. leucorhoa	♂	7°52'N;	178°35'E	"	40	H	LT 2x1mm R 1x1mm	No Body molt Leg + feet + bill black.	S	S	Thompson 26
66	P. pacificus	♂	7°48'N;	178°30'E	"	344	M.	Lt 4x1mm light Rt 4x1mm dark	No Body molt Legs feet pink bill gray	S	S	Thompson 24
67	Sterna fuscata	—	7°45'N;	178°27'E	"	164	—	—	wing - 1-2 new 3 (1/3) 4-10 consecutively newer #10 newest tail #6 worn, #2R 1/3 #2L 2/3		A	Thompson 13
68	"	♂	7°52'N;	178°35'E	"	163	~~[illegible]~~	testes 2x1mm.	tail old + worn, iris brown, bill + legs black	S	Skin	Tuxson 23

2569	Sterna fuscata	—	7°52'N; 178°35'E	15 Nov, 1966	177	—	———	wing #1-1/8 #10-2 consecutively older #2 oldest tail L 1-6 old R 1 1/3 2-6 old		A	Thompson 14
70	"	—	7°52'N; 178°35'E	"	162	—	———	wing 1-6 consecutively newer 7 3/4 #8 1/2 9-10 old tail #2R 1/4 L pin, #5 1/8 #6 worn.		A	Thompson 15
71	"	—	7°45'N; 178°27'E	"	153	—	———	wing 1-2 new, 3 breaking sheath, 4-10 consecutively newer tail #6 worn.		A	Thompson 16
72	Phaethon lepturus.	—	7°37'N; 178°16'E	"	257	—	———	wing-#8 1/8 9-10 old, 1-7 newer tail center streamer removed		A	Thompson 17
73	Pt. leucoptera	♂	7°37'N ~ 178°17'E	"	134	med	brood patch refeathering L. testis 3x1mm black	heavy body molt Iris dark brown; bill & distal 2/3 feet black; legs & prox 1/3 feet lt. blue.	S.	wing + Skin	Balcomb (0133)
74	St. pomarinus	imm ♂	7°32'N; 178°10'E	"	495.	L-M	testes 4x1mm R black L white	———	S	S	Huber 1022
75	Pt. leucoptera	—	7°36'N; 178°16'E	"	121	—	———	wing no molt 1-10 consecutively older tail # just breaking sheath		A	Thompson 18
76	"	—	7°35'N; 178°15'E	"	122	—	———	wing no molt 1-10 consecutively older tail #1 just breaking sheath		A	Thompson 19
77	Phaethon rubricauda	Subad. ♀	7°30'N; 178°8'E	"	736	Light fat	ovary 9x3mm.	no body molt	S	S	Fitch 614
78	Sterna fuscata	♀	7°32'N; 178°10'E	"	169	L	ovary 12x4mm granular oviduct has been used	NO B. Patch.	S	S	Huber 1024
79	B. bulwerii	—	7°37'N; 178°17'E	"	80	—	———	wing #10 just breaking sheath #9 1/2 1-8 new tail All in no molt		A	Thompson 20
80	P. pacificus	—	7°40'N; 178°21'E	"	338	—	———	wing-no molt-All new tail no molt some body molt		A	Thompson 21
81	Sterna fuscata	♀	7°32'N; 178°10'E	"	176	—	L. ovary granular 12x4mm, L.ovum .8mm.	NO B.Patch tail worn iris brown; black bill + legs	S	S	Tuxson 24
82	B. bulwerii	—	7°41'N; 178°22'E	"	87	—	———	wing 6 (2/3) 7 just breaking sheath 8,9,10 old, 1-5 new tail L #1 just breaking sheath		A	Thompson 22
83	"	—	7°37'N; 178°16'E	"	78	—	———	wing 10-8 old, 7 1/8 in, 1-6 new, tail L 1 (1/8)		A	Thompson 23
84	O. leucorhoa.	♀	7°34'N; 178°13'E	"	39	M	NO BROOD PATCH OVARY 3X2mm, GRANULAR	R. WING: PRI. #8 JUST BROKE SHEATH; REST VERY WORN L. WING: SAME AS ABOVE NO BODY MOLT IRIS DARK BROWN; BILL, LEGS, FEET BLACK	S	S	HEIDEN (49)
85	Puffinus pacificus	♀	5°47'N; 179°30'E	16 Nov. 1966	334	L	NO BROOD PATCH OVARY 12X4mm	NO MOLT IRIS DARK BROWN; BILL SLATE GRAY; LEGS + FEET BLUE, BLACK ON OUTER EDGES	S	S	HEIDEN (46)
86	Puffinus pacificus	♂	5°44'N; 179°31'E	16 Nov. 1966	358	L	NO BROOD PATCH L.TESTIS 4X3mm R.TESTIS 5X3mm	R. WING: PRIMARIES 1-4 STILL SHEATHED: 5-10 WORN HEAVY BODY MOLT L. WING: PRIMARIES 1-3 STILL SHEATHED; 4-10 WORN IRIS DARK BROWN; BILL BLUISH GRAY; LEGS + FEET PALE FLESH	S	S	HEIDEN (47)
87	Pterodroma leucoptera	♀	5°43'N ~ 179°32' E	16 Nov, 1966	125	light	brood patch refeathering ovary 6x7mm lgst ovum - 1mm	heavy body molt. Iris dark brown; bill black; legs blue; feet blue prox 1/8 - black distal 7/8.	S.	wing + Skin	Balcomb (0132)
88	Crocethia alba	imm ♀	Offshore Baker Is.	20 Nov, 1966.	54	med	ovary 7x3mm - ova fine oviduct straight + thin	Flight feathers all new, no body molt. R all new, R+L P all new but #10 which is (1/10)	S	Skin	Huber 1029
89	Oceanodroma leucorhoa	♀	0°11'N; 176°30'W	"	39	LIGHT	NO BROOD PATCH OVARY 2x2mm	NO MOLT IRIS DARK BROWN; BILL, LEGS, FEET BLACK	S	S	HEIDEN (50)
90	Sterna fuscata	♂	0°07'N; 176°41'W	"	190		NO BROOD PATCH TESTES 3X1.5	R+L PRI. 1-6 VERY NEW, 7-10 OLDER LR 6-4 NEW, 2-1 PIN RR 6-4 NEW 2 3/4, 1 OLD		A	HEIDEN (53)
91	"		0°10'N; 176°32'W	"	183	light	no brood patch 8x3mm L testes 4x5mm R testes	R+LP all new LR 6-4 new 2(3/4) 2-1 new RR 6-5 new 4(3/4) 3-1 new Leg, feet, Bill Black		S	Thompson #28
92	"	♂	" "	"	188		BROOD PATCH POSSIBLY UNFEATHERING TESTES 13X8mm	R+L PRI. ALL NEW R+LR ALL NEW		A	HEIDEN (54)
93	"	♀	0°10'N; 176°32'W	"	170		NO BROOD PATCH OVARY 12X7mm L.OVUM 3mm	P+R ALL NEW		A	HEIDEN (55)
94	"		" "	"	160	light	6x3mm ovary 2mm largest ovum	P all new RR-6-5 new, 4(3/4), 3 old, 2(3/4) 1 new LR 6-5 new 4(3/4), 3 old, 2(9/10) 1 new No B. Patch Leg, feet, Bill black		S	Thompson #27
95	"	♂	0°11'N; 176°30'W	"	165		BROOD PATCH UNFEATHERING TESTES 10X6 mm	P+R ALL NEW, BUT NOT VERY NEW		A	HEIDEN (56)
96	"	♀	" "	"	175		NO B. PATCH OVARY 12x7mm L.OVUM 3mm	P+R ALL NEW, BUT NOT VERY NEW		A	HEIDEN (57)
97	"	♀	0°12'N; 176°29'W	"	166		NO B. PATCH OVARY 12X8mm L.OVUM 2mm SEVERAL OVA 2mm	P ALL NEW RR 6-(2/3), 5-1 NEW LR 6-1 NEW		A	HEIDEN (58)
98	"	♀	" "	"	178		NO B. PATCH OVARY 10X6mm GRANULAR L.OVUM 2mm	RP ALL NEW LP - SHOT AWAY R. ALL NEW		A	HEIDEN (59)

2599	Sterna fuscata	♀	0°12'N; 176°29'W	20 Nov, 1966	177		NO B.PATCH OVARY 13X7mm L.OVUM 3mm	P+R ALL NEW BUT NOT VERY NEW	A	HEIDEN (60)
2600	"	♀	0°6'N; 176°21'W	"	171	H	ovary 13X4mm ova fine oviduct straight + thin NO BP.	LP-1-7 new 8 pin 9-10 old. RP-1-6 new, 7 (9/10) 8 pin 9-10 old. RR 6 new 5 pin 4-3 old 2-1 new. LR 6 new 5-3 old, 2-1 new.	Skin	Huber 1026
01	"	♂	7°07'S; 173°24'W	23 Nov, 1966	185	—	testes 6x3 m. NO B Patch.	P all new. L R.6-5 new, 4½ 3-2 new, 1 (2/3) RR all new	Alco	Huber, 1040
02	"	♂	" "	"	181	—	Lt 8X4 mm.	L+RP all new but #10 (3/4) R all new but #3 L which is (3/4)	Alco	Huber 1041
03	"	♂	7°11'S; 173°22'W	"	197	—	~~NO BP~~ testes 5X3mm.	R+LP #-1-4 rest new, tail NEW #6 worn	Alco	Huber, 1039
04	"	♂	" "	"	166	—	BP possibly refeathering 2/3 bare. testes 7X3 mm.	R+LP 1-7 new, 8-10 old R all new but #6(½)	Alco	HuberLN 1042
05	"	♂	7°11'S; 173°22'W	"	155	—	NO.B.P. testes 7X3mm.	Bill legs + feet black, iris dark brown, L+RP 1-8 new, 9 9/10, 10 old	Alco	Huber, LN 1043
06	Bulweria bulwerii	♂	7°6'S; 173°25'W	"	83	NO	NO B Patch, testes 1.5X1.5mm (black,	iris dark brown, bill black, legs - inner side light brown, outside black! feet black.	Skin	Huber 1027
07	Stercorarius longicaudus	imm ♀	7°11'S; 173°23'W	23 Nov, 1966	269g	NO	OVARY 13X4mm OVA ext fine	iris dark brown, bill prox. ½ light gray, dist. ½ dark ~~slat~~ slate gray, legs blue, feet black.	Skin	HuberLN 1028
08	Sula leucogaster	♀	7°27'S; 173°12'W	"	1300	—	OVARY 12X5mm OVA small but granular oviduct straight + thin	all flight feathers new, but slightly worn.	~~Alco~~	HuberLN. 1036
09	Pt. hypo nig.	♀	7°08'S; 173°24'W	"	160	L	OVARY 8X4mm. NO B.Patch	no molt iris dark brown, bill black, legs blue, feet blue, proximal ¼ black, distal 3/4 S	S	Heiden, R, 63
10	Phaethon rubricauda	♂	7°30'S; 170°49'W ~~7°27'S; 173°12'W~~	1 DEC. 1966	775	—	testes 6X2mm.	FWS#615-10953 iris dark brown, bill orangish yellow, slightly grayish next to skin, black streak through nostril, legs + prox. ½ foot light blue, rest black. S	S	Huber 1035.
11	STERNA FUSCATA	♀	2°43'S 172° 03'W	7 DEC. 1966	170	M	Ovary 4X2 oviduct straight	Blood taken, no brood patch B,S	Skin	Fitch 622
12	" "	♀	02°43'S 172° 09'W	"	170	L	OVARY 12X6mm L.OVUM 2mm OVIDUCT 5mm B.PATCH PRESENT	NO MOLT S	S	HEIDEN (74)
13	" "	♂	"	"	198	H	12X7 mm LT 9X4 mm RT	P-all new Bill, legs, feet black R-#6 worn #1-5 new S	FS	Thompson, FC #37
14	" "	♀	"	"	188	M	BP Present. ovary 12X5mm Granular L ovum 1mm oviduct 4mm.	no molt iris dark brown, bill legs, feet black. S	FS	Heiden 75
15.	Procelsterna cerulea	♀	01°36'S 175° 05'W	1227 8 Dec 1966	50g.	M	Ovary: 8X4 mm.	Wing and tail feathers worn no body molt S	S	Fitch 623
16	Phaethon rubricauda	?	01°29'S 175° 33'W	"	659	[illegible]	—	iris dark brown, bill orange with black streak through nostril, legs + prox. foot light blue, rest + claws black. 5516-153 E Bs	S	HuberLN 1045
17	Sula Sula.	♀	~~00°49'~~ 00°48'N 176°52'W.	9 Dec, 1966	1096	L	ovary 12X8mm, granular oviduct has been used in past.	747-59002 S	S	HuberLN 1037
18	Sterna fuscata.	♀	" "	9 Dec, 1966	170.5g	M	Ovary: 9X4mm. no brood patch	no brood patch S	FS	Fitch 624
19	Sterna Fuscata	♀	00°48'N 176°53'W	9 December 1966	191 gr.	M	16X12mm Ovary No B.Patch 4mm largest ova oviduct twisted and Thick	P#1-9 new Bill, legs, feet black #10 (9/10) R-All new S	FS	Thompson, FC #40
20	" "	♂	00°48'N 176°53'W	" " "	190.5gr.	M	12X6mm LT No B. Patch 8X4mm RT	P-all new Bill, legs, feet black R#6 worn B S	FS	Thompson #41
21	Sterna Fuscata	♂	00°48'N 176° 54'W	9 DEC. 1966	207g	M.	NO BROOD PATCH TESTIS 8X5mm.	iris brown, bill & legs black. no body molt tail feathers all in (worn) (S	S	TUXSON 38
22	" "	♂	00°48'N 176°54'W	"	203.5g	M	10X3mm LT No Brood patch 5X4 MM RT	P#1-6 new #7-10 old Bill, legs, feet black R#6 worn #1-5 new S	FS	Thompson, FC #39
23	" "	♀	00°48'N 176° 56'W	"	184.5	L	B.P. unfeathering ovary 18X4mm L. ovum 3mm oviduct 3mm	FWS# 95301140 No molt iris dark brown, bill, legs + feet black. S	S	Heiden 76
24	Sterna Fuscata	♂	"	9 DEC 1966	192g	H	NO BROOD PATCH TESTIS 8X4mm.	iris brown, bill and legs black. no body molt tail feathers all in (no wear) SB	S	TUXSON 39
25	Fregata ariel	♂	"	"	813	L	testis 10X10mm.	RW-6 dropped rest new LW all in, new R all new but #5+6 R old. 6 L 1/10, 5 L old, TAIL-All feathers in mod wear	Skel	Huber, 1044
26	St. Fuscata	♂	"	"	196	M	No B.P. testes 11X5mm.	no body molt, iris dark brown, bill + legs black. S	FS	Tuxson 41.
27	" "	♀	"	"	188	H	Ovary 12X6mm. No.B.P.	iris Dark brown; legs, bill, feet black "P-all new except #10 (9/10)" R all new except #6 S	FS	Fitch 625
28	Sterna fuscata	♀	"	"	196	M	Ovary 7X4mm. No B.P.	Wing and tail feathers worn no body molt S	FS.	Fitch 626

2629	Sterna fuscata	♀	00°48'N 176°56'W	9 December 1966	#2629 #2630 167grs	M	11x5 mm LT 4x6 mm RT no. B.P.	P-all new R-#6 worn Bill, legs, feet black Iris brown	S	FC	Thompson #36
30	" "	♂	00°48'N 176°57'W	" " "	155gr	M	12x6mm Ovary 1mm largest ovum no B.P.	P#1-5 new R#6 worn #1-4 new #6-10 old #5(3/4) Iris brown Bill, legs, feet black	S	FS	Thompson #32
31	STERNA FUSCATA	♀	2220 00°48'N 176°58'W	9 DEC. 1966.	191g.	H	NO BROOD PATCH OVARY GRANULAR - 11x6mm. OVIDUCT CONVOLUTED L. OVUM 3mm.	TAILFEATHERS ALL IN AND WORN. NO BODY MOLT. IRIS BROWN, LEGS + BILL BLACK.	Ⓢ	S	TUXSON 36
32	" "	♂	00°48'N 176°58'W	" " "	193g	M	10x4mm LT 6x4 mm RT no B.P.	P#1-9 new #10 old R#6 worn #5 old, #4(3/4) #1-3 new Bill, legs, feet black Iris brown	S	FS	Thompson #33
33	" "	♂	"	" "	210g.	H	Testis : 4x2mm. No B.P.	Iris dark brown; bill, legs, feet black	S	FS	Fitch 627
34	STERNA FUSCATA	♀	2230 "	9 DEC. 1966.	186g.	H	BROOD PATCH UNFEATHERING. OVARY GRANULAR - 13x8mm. OVIDUCT CONVOLUTED L. OVUM 2.5mm.	TAIL FEATHERS ALL IN - MOD. WEAR. NO BODY MOLT. IRIS BROWN, LEGS + BILL BLACK.	Ⓢ	S	TUXSON 34
35	" "		00°N 176° 59'W	9 Dec. 1966	167g.	M	Ovary : 10x5mm. Brood patch present	No body molt, Wing feathers worn Iris dark brown; bill, legs, feet black	S	S	Fitch 628
36	STERNA FUSCATA	♂	2305 00°48'N 176°59'W	9 DEC. 1966	196g.	H	NO BROOD PATCH TESTIS 6x3.5mm.	TAIL FEATHERS ALL IN - SLIGHT WEAR NO BODY MOLT. IRIS BROWN, LEGS + BILL BLACK.	Ⓢ	S	TUXSON 37
37	" "	♀	" "	"	184g	M.	NO BROOD PATCH TESTIS - 11x5mm	[illegible]-793-72680 NO MOLT IRIS BROWN - BILL LEGS - BLACK	S	S	TUXSON 42
38	Sterna fuscata	♂	00°48'N 177°01'W	9 December	196g	M	12x6mm LT 6x4mm RT No B.P.	P-all new R-all new Bill, legs, feet black Iris brown	S	FS	Thompson #35
39	" "	♂	00°49'N 177°02'W	10 Dec. 1966	202	H	testis 4x3mm. No brood patch	No body molt Wing + tail feathers unworn	S	FS	Fitch 629
40	" "	♂	"	10 Dec. "	202	H	testis : 4x3mm. No brood patch		S	FS	Fitch 630
41	" "	♀	"	"	210	H	Ovary : 8x3mm No brood patch		S	FS.	Fitch 631
42	Sterna fuscata.	♀	"	"	180	H	Ovary : 7x2mm. No brood patch	blood sample	S	FS	Fitch 632
43	Sterna fuscata	♀	"	10 Dec. 1966	208	M	B. PATCH PRESENT OVARY 12x7mm L. OVUM 3mm OVIDUCT 4mm	NO MOLT	S	S	HEIDEN (77)
44	" "	♀	00°48'N 177°03'W	10 Dec. "	165.	M	ovary 12x6mm.	.863-80697 Tail + wing un-worn. Blue streamer. No Body molt BP not present	BS	S.	Fitch 633
45	STERNA FUSCATA	♂	0158 "	10 DEC. 1966	214.	H	BROOD PATCH UNFEATHERED TESTIS 12x6mm + 6x4mm	TAIL ALL FEATHERS IN - MODERATE WEAR. NO BODY MOLT. IRIS BROWN LEGS + BILL BLACK.	Ⓢ	S	TUXSON 35
46	Common Noddy (ANOUS STOLIDUS)	♀	00°48'N 177°04'W	"	143	L	~~Ovary 13x5mm~~ NO B. PATCH OVARY 7x4mm GRANULAR OVIDUCT .5mm	NO MOLT IRIS BROWN. BILL BLACK; LEGS FEET BROWN	S	S	HEIDEN (78) [redacted]
47	Sterna fuscata	♀	01°03' 177°24'W	" "	158	L	~~Ovary 10x7mm.~~ NO B. PATCH OVARY 4x2 GRANULAR	R. + L. PRI. 10 1/2 TAIL #5 R. JUST BROKE SHEATH	S	S	HEIDEN (79) [redacted]
48	Phaethon rubricauda	♂	00°17'N 177°43'W	" "	~~376~~	M	LT 12x8mm RT 8x4mm	625-87418		S	Huber 1038
49	Sterna fuscata	♂	00 03' N 176°34'W.	12 Dec 1966	175.	H	Testis : 3x2mm No brood patch	Wing, tail feathers worn	S	FS	Fitch 634
50	Sterna fuscata	♀	00°42'N 176°37'W	12 December 1966	192g	M	12x6mm Ovary 1mm largest ovum no B.P.	P#1-3 new LP#10 old R#1-5 new #4-7 old RP#10(9/10) #6 worn #8-9 new Bill, legs, feet black	S	FS	Thompson #34
51	STERNA FUSCATA	♂	0745 00°57'N 176°15'W	13 DEC 1966.	192	M.	BROOD PATCH UNFEATHERING. TESTIS - 10x5mm.	TAIL FEATHERS ALL IN - NO WEAR. NO BODY MOLT. IRIS BROWN - BILL + LEGS BLACK.	Ⓢ	S	TUXSON 33
52	Sula dactylatra	imm ♀	00°24'N 176°15'W	"	1657	H	ovary 15x8mm, ova undistinguishable oviduct straight + thin	568-70052	BS	S	Huber 1047
53	Phaethon rubricauda	♂	"	"	625	—	testis 12x5mm.		S	S	Huber LV 1046
54	Oceanodroma leucorhoa		00°05'N 176°19'W	13 Dec. 1966	—	M	ovary 3x3mm granular no brood patch	no molt iris black brown. bill, legs black	S	S	TUXSON 44
55	Sterna Fuscata	♂	01°32'N 175°16'W	14 December 1966	186g	M	12x4mm LT 5x2mm RT No B.P.	P-all new R#1-5 new #6 worn Bill, feet, legs black		FS	Thompson #38
56											
57											
58											

SIC # 16

SIC # 16

6852	Arenaria interpres	im ♀	7 Dec, 1966	Enderby Is.	———	Ex heavy	ovary 11x4mm ova minute oviduct straight + thin.		FS	Huber LN	1052
53	"	imm ♀	"	"	———	"	ovary 11x3mm ova minute oviduct straight + thin		"	"	1051
54	"	ad. ♀	"	"	———	"	ovary 9x4mm, ova minute oviduct has been used in past		"	"	1054
55	"	♂	"	"	———	"	L+ 3x1mm. R+ 1.5x1mm.		"	"	1050
56	"	ad ♀	"	"	———	"	ovary 11x4mm, ova minute oviduct has been used in past		"	"	1048
57											
58											
59											
60											
61											
62											
63											
64											
65											
66											
67											
68											
69											
70											
71											
72											
73											
74											
75											
76											
77											
78											
79											
80											

p.3 SIC # 16

SIC # 16 p. 4

6823	Anous stolidus	♂	Swain's Is	30 Nov, 1966	182	L.	LT 6x3 RT 7x4m B.P. Present.	no molt, Plumage raw, iris dark brown, bill black, legs+feet brown.	S	S	Heiden 67
24	Anous stolidus	♂	"	"	180	—	LT 11X4mm BP present RT-?. not found	P#1 - pin - not breaking surface #2-10 new R-all new Bill black, legs+feet gray		S	Thompson #31
25	Gygis alba	♀	"	"	109	L	17x8mm Ovary BP Small largest ovum present	P+R all new - Bill base bluish, Apical ½ blackish; Feet+legs blue, webbing white, claws black			Thompson #45
26	Gygis alba	♂	"	"	106	M	LT 6X3mm RT 4x3mm	No Body molt feet+legs light blue. BP Bare, iris dark brown bill bluish base, black at tip		S	Huber 1034
27	Phaethon rubricauda	♀	"	"	815.	L	Ovary 10X17mm L. ovum 3mm	No molt on body	S	S	Balcomb 134
28	Heteroscelus incanum	M	"	"	112	—	gonads not found	nobody molt no brood patch bill & legs - yellow - iris brown		SKELETON	TUXSON 43
29	Arenaria interpres	♂	"	"	97	Medium fat	testis: 3X4mm	nobody molt, wing and tail feathers new		S	Fitch (619)
30	"	♀	"	"	100	MEDIUM FAT.	OVARY 4X1mm OVIDUCT THIN AND STRAIGHT. NOBROOD PATCH	~~NO BROOD PATCH~~. NOBODY MOLT. Bill-Black LEGS-ORANGE IRISBROWN		S	TUXSON 30
31	Gallus gallus	♀	"	"	117g	NO	OVARY 13X8mm oviduct straight + thin ova indistinguishable			S	Huber LN
32	Arenaria interpres.		Phoenix Is	3 Dec, 1966							
33	N. tahitiensis	♀	"	"	408 gms.	MEDIUM	NO BROOD PATCH - OVARY GRANULAR 20X5 1.OVUM - UNDER 1mm OVIDUCT THIN + STRAIGHT	TAIL - ALL FEATHERS VERY WORN - HEAVY BODY MOLT. IRIS BROWN, Bill FLESH WITH BLACK TIP. FEET & LEGS GRAY.	S	S	TUXSON 40
34	"	♀	"	"	477g.	M	OVARY 13X4 mm GRANULAR	HEAVY BODY MOLT R. 12. PRI. 9+10 3/4 SHEATHED IRIS DARK BROWN; BILL FLESH W/BLACK TIP, FEET+LEGS GRAY	S	S	HEIDEN (83)
35	Sterna fuscata	♀	"	2 Dec, 1966	142g.	L	B. PATCH PRESENT OVARY 11X5mm L.OVUM 2mm OVIDUCT 5mm	NO MOLT	S	S	HEIDEN (80)
36	"	♀	"	"	128.	L	B. PATCH PRESENT OVARY 12X5mm L.OVUM 3mm OVIDUCT 6mm	TAIL R. #2 STILL SHEATHED	S	S	HEIDEN (81)
37	"	♀	"	"	148g	L	ovary 15X8mm L.ovum 2mm oviduct 5mm, (Enlarged)	iris dark brown; bill legs, feet black. no molt BP. Present		S	Heiden 68
38	"	♀	"	"	152	L.	ovary 9x7mm, L.ovum 3mm oviduct enlarged B.B.Patch.	No Body molt, Band #853-05747	S	S	Huber LN 1030
39	"	♀	"	"	137	L	[illegible]	ovary 10x8mm, B. B.Patch Oviduct enlarged. No body molt	S	S	Huber 1031
40	"	♀	"	"	137	L	BROOD PATCH EXPOSED OVARY GRANULAR 15X7mm. L.OVUM - 3mm. OVIDUCT ENLARGED	NoBODY MOLT Bill+Legs - BLACK NO TAIL MOLT IRIS-BROWN	S	S	TUXSON 32
41	"	♂	"	"	134	L	B. PATCH PRESENT L. TESTIS 3X2mm R.TESTIS 7X3mm (BOTH YELLOW)	NO MOLT	S	S	HEIDEN (82)
42	"	♀	"	"	133	NO	ovary 12X6mm L.ovum 2mm oviduct enlarged - 5mm	B.P. Present. iris dark brown; bill, legs, + feet black;	S	S	Heiden 69
43	"	♂	"	"	162	M	LT 4X3mm RT 3X2mm yellow.	BP. Present. iris dark brown; bill legs + feet black.	S	S	Heiden 70
44	"	♀	"	"	149	M	ovary 12X7mm L. ovum 2mm oviduct enlarged 4mm.	B.P. Present. iris dark brown, bill legs + feet black	S	S	Heiden 71
45	"	♂	"	"	203	M	LT. 9X5 RT 8X4 gray	B.P. Present. no molt. iris dark brown, bill legs + feet ~~gray~~ black	S	S	Heiden 72.
46	"	♀	"	"	146	L	Ovary: 13X5mm. Oviduct enlarged	No B.P. no bmolt	S	S	Fitch 620
47	"		"	"	142	M	Ovary: 10X7mm.	No B.P. no body molt	S	S	Fitch 621
48	"	♂	"	"	147	L	9X3mm LT BP bare 4X2mm RT	P#1-2 new, #3-10 old, #3 oldest, rest consectively newer R#6 worn, #5-1 new Bill, legs, feet black		S	Thompson #43
49	"	♂	"	"	175	L	6X3mm LT BP bare 2X1mm RT	P#1-3 new, 4-10 old, #4 oldest, rest consectively newer R#6 worn Bill, legs, feet black FWS #853-02141		S	Thompson #44
50	"	♂	"	"	139.	L	Lt 6x3 Rt 4x2 yellow B.P. Present	Fws# 853-00601 iris dark brown bill legs+feet black	S	S	Heiden 73.
51	Procelsterna cerulea	♂	"	4 Dec, 1966	45g.	L	No B. PATCH TESTES 3X2mm L. DARK GRAY; R. YELLOW	R. PRI. #7 SHEATHED, #6 3/4, REST SLIGHTLY WORN L. PRI. SAME TAIL NO MOLT, SLIGHTLY WORN MEDIUM BODY MOLT BILL, LEGS FEET ALL BLACK	S	S	HEIDEN (84)

6794	Limosa lapponica	♀	Howland Is	21 Nov, 1966	244 g	very light	ovary 11x4mm ova ext [illegible]	flight feathers all new but starting to wear. ESI6-23 iris dark brown, ~~[illegible]~~ legs gray, bill ~~[illegible]~~ approx. ½ pink, distal ½ gray-black. S	S	Huber 1025
95	Sterna fuscata		"	"	163	heavy	ovary 14x8mm. L. ovum 6mm ~~next~~ largest 3mm.	P+S all new, R all new but #2L (½) NO B. Patch. iris brown bill + legs black.	Σ	
96	"		"	"	169	"	~~[illegible]~~ testes ~~[illegible]~~ -8x4mm.	flight feathers all new NO B. Patch, iris brown, bill + legs black	Σ	
97	"		"	"	190	"	ovary 14x8mm L. ovum 2mm	flight feathers all new, No BPatch. iris brown, bill + legs black	Σ	
98	"		"	"	161	"	L. ovum 3mm 50 others 2mm ovary 15x8mm.	wing-all new plumage tail R-all new L 6 new 5(4/10) 4-3 new, 2(3/4) 1 new.	Σ	
99.	Pluvialis dominica		BAKER Is	20 Nov. 1966.	97.	—	—	tail-slight molt no body molt legs gray, bill black iris brown	A	TUXSON #26
6800	Pluvialis dominica		"	"	80	—	—	tail #3 broken off all slightly worn legs gray, bill black iris brown.	A	TUXSON #27.
6801	Arenaria interpres	♂	"	"	106.	HEAVY	NO BROOD PATCH L TESTIS-2X1mm. R. TESTIS-1.7X.9mm	NO BODY MOLT. TAIL-WORN FEATHERS IRIS-BROWN bill-black, Legs-ORANGE	S	TUXSON R.W. #25
6802	Arenaria interpres	♀	"	"	99	Heavy	Ovary: 6x4mm)	legs orange feathers worn, body molt, iris brown, bill black, Brood patch refeathering, Wing and tail	S	Fitch 615
3	Arenaria interpres	♀	"	"	105	Heavy	Ovary: 6x3mm)	no body molt, iris brown, bill black legs orange Brood patch refeathering, Wing + tail feathers worn,	S	Fitch 616
4	Arenaria interpres	♀	"	"	106.	H	ovary 4x3mm	Light body molt iris brown, bill brownish gray legs + feet orange. S	S	Heiden 61
5	Arenaria interpres	♀	"	"	127.	VERY HEAVY	NO BROOD PATCH OVARY 1.8x.8mm OVIDUCT-STR. + THIN	NO BODY MOLT Legs-orange, Bill-Black, IRIS BROWN tail-SLIGHTLY WORN	S	TUXSON (28)
6.	Sterna fuscata		"	"	190.	L	NO B. Patch R testis 8x4mm L testis not visible	iris dark brown, bill legs feet black. No molt. S	S	Heiden 62 ~~[illegible]~~
7.	Sterna fuscata	♂	"	"	201	VERY HEAVY	BROOD PATCH PRESENT L. TESTIS 12x6mm R. TESTIS 8x4mm	NO MOLT IRIS DARK BROWN; BILL, LEGS, FEET BLACK	S	HEIDEN (51)
8.	Sterna lunata	♂	"	"	111	LIGHT	NO BROOD PATCH L. TESTIS 10x5mm R. TESTIS 5x3mm	NO MOLT, IRIS DARK BROWN	S	HEIDEN (52)
9.	Erolia		"	"	NONE Taken	~~—~~	OVARY 4X2mm	Greenish legs + feet, bill black. Lower mandible base greenish S	S	Thompson 29
10.	Anous stolidus. (chick)	?	"	"	21.8.	NONE.	GONADS NOT FOUND.	DOWN PRESENT. Legs & Feet Black. Bill Black, IRIS BROWN	S	TUXSON (29)
11	"		SWAIN's Is	30 Nov, 1966.	189	—	20x10mm ovary 8mm largest ovum BP. present	molt - P. all new R all new Bill black, legs + feet gray	S	Thompson #30
12	"	♀	"	"	189	M	BP. Present ovary 10x5mm L. ovum 2x3mm	no molt. wings + tail slightly worn. S Iris dark brown, bill black, legs + feet brownish black	S	Heiden 64
13	Gygis alba.	♂	"	"	113	H	LT 7x3mm RT 4x3mm	BP. Bare No body molt Iris dark brown, bill blue at base, black at tip, feet + legs light blue.	S	Huber 1032
14	"	♂	"	"	112	M	LT 6x3mm RT 2x3mm.	No Body molt ~~Bare~~ B. Patch. Iris dark brown, bill blue at base, black at tip, feet + legs light blue.	S.	Huber 1033
15	Anous minutus	♀	"	"	96	Light fat	Ovary 10x4mm.	no molt, feet dark brown, legs dirty tan	S	Fitch (618)
16	"	♂	"	"	98	L	R+L T 4x3mm BP. Present	No molt Plumage new S feet brown, legs brownish tan, bill black, iris dark brown	S	Heiden 65
17	Crocethia alba.	♂	"	"	39.	NO	Lt. 1x3mm	No molt, ~~[illegible]~~ S	S	Chandler 43
18	"	♀	"	"	67	H	ovary 2x1mm	No brood patch heavy molt. iris brown, bill brown, legs brown no stomach saved rotten.	S	
19	Anous stolidus	♀	"	"	209	LIGHT	BROOD PATCH-PRESENT. OVARY GRANULAR + RUPTURED. 1. ovum-5mm.) UNSHELLED EGG IN OVIDUCT	Tail SLIGHT WORN NO BODY MOLT. Legs + Bill-BLACK IRIS-BROWN.	S	TUXSON (31)
20	Anous minutus	♂	"	"	165	L	LT 5x3mm RT 4x2mm	No molt, wings + tail new. feet + legs brown, bill black, iris dark brown. S	S	Heiden 66
21	Anous minutus	♂	"	"	116	L	Testes 7x3mm 2-light [illegible]-dark	P #1-9 new #10 ½ R #5 ½ #2 ¾ no BP Bill black, legs dark yellow, Feet dark greenish yellow	S	Thompson #42
22	"	♀	"	"	102	light	6x3mm ovary Granular	All P, R new BP bare Bill black, legs dark greenish with some scales all yellow, feet uniformly greenish black.	S	Thompson #46



Island Cat

SIC #16